



## Part Number: 377.1426.00

Optical Transceiver QSFP28 ETH [-/100G] [DD/DFB/-/OP:-6,5/RP:-10/2km]  
100GBASE-CWDM4

### PRODUCT DESCRIPTION

# 377.1426.00

Optical Transceiver QSFP28 ETH [-/100G] [DD/DFB/-/OP:-6,5/RP:-10/2km]  
100GBASE-CWDM4

## FEATURES

QSFP28 Optical Transceiver for 100G bps, with a typical range of 2 km.

Compatibilities:

IEEE Compatibility : 802.3bm 100GBASE-C4

Datacom Compatibility:

ITU Compatibility:

## OTHER FEATURES

Form Factor	QSFP28
Interface	Optical Transceiver
Conformities	ETH
Fiber Type	Singlemode
Fiber Quantity	Two
Connector Type	LC
Digital Diagnostics	Yes
LOS	No
Tunable	No
MultiRate	No
W.D.M.*	
W.D.M. Channel *	
Bi-directional complementary part number *	
Typical range (km)	2
Extended range * (km)	

*\* If applicable*

## OPERATIONAL CONDITIONS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Operating Temperature	0		70	°C
Overload			5.5	dBm

## OPTICAL TRANSMISSION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Transmission power	-6.5		4.5	dBm
Extinction Ratio	4			dB
Wavelength		1271 / 1291 / 1311 / 1331		nm
Spectral Width *				nm
Dispersion Tolerance *				ps/nm
Laser		DFB		

## OPTICAL RECEPTION PARAMETERS

PARAMETER	MINIMUM	TYPICAL	MAXIMUM	UNIT
Wavelength		1271 / 1291 / 1311 / 1331		nm
Sensitivity			-10	dBm
Overload			5.5	dBm

## EYE SAFETY

This is a Class1 Laser Product.

# DATACOM

Rua América, 1000 | 92990-000 | Eldorado do Sul | RS | Brasil  
+55 51 3933 3000  
www.datacom.com.br